




## 2024 Off Road Electric scooter Quotation





Item No	Picture	Feature	Optional	Product link	Package	EXW
T2pro		<b>Tire:10inch vacuum off road tires</b> Frame: Aluminum+Steel Maximum load :150KG Start method:Integrated RDF sensor card <b>Battery: 48V23AH</b> <b>Motor:10inch 48v 1650W*2(Double motor)</b> <b>Max speed:70km/h</b>		<a href="https://liidewayscooter.com/product/scooter-electric-adult-liideway-t2pro/">https://liidewayscooter.com/product/scooter-electric-adult-liideway-t2pro/</a>		<b>48V</b> <b>sample:588\$</b> <b>50pcs:568\$</b> <b>20ft:558\$</b> <b>40HQ:548\$</b>
T2 Plus		<b>Battery:60V21AH</b> <b>Motor:60v 3000W*2(Double motor)</b> <b>Max speed:80km/h</b> <b>Range:60-70km</b> Controller: 30A controller/45A Brakes: Front and rear Disc brakes Shock : Front and rear spring shock absorbers Restricted speed:25km/h(European standard) Light:front/rear/brake/turn/side light Handlebar: T-handlebar Charging time: 5-10 hours or support dual charging <b>Charger One 2A UL charger</b>	1.10inch wide off-road tires 2. 2A UL/CE charger:15\$(free) 3.Seat+13\$ (free) 4.USB phone charging:5\$(free) 5.6inch RFD sensor screen:28\$(free) 6.Removable battery:28us\$ 7.with logo(pole and footboard) and carton logo(free) 8. waterproof strip(free) 9.4pcs shock absorbers (free) 10.alarm system:8us\$ 11.Hydraulic brake: 30us\$ 12.Damper:30\$ 13.Bluetooth:10\$	<a href="https://liidewayscooter.com/product/electric-scooters-80-km-h-liideway-t2plus/">https://liidewayscooter.com/product/electric-scooters-80-km-h-liideway-t2plus/</a>	Unfolded size 126x68x55CM Folded size 123x68x132CM Pedal width: 25CM Packing size: 128x33x55cm NW/GW:39.8KG/45.8KG seat:2.5KG 20FT:120pcs, 40HQ:293pcs, 45HQ:336pcs	<b>60v</b> <b>sample:618\$</b> <b>50pcs:598\$</b> <b>20ft:588\$</b> <b>40HQ:578\$</b>
T2		<b>Battery: 48V13AH (single motor)</b> <b>Motor:10inch 48v 2000W(single motor)</b> <b>Max speed:45km/h(single motor)</b> Controller: 30A controller Brakes: Front and rear Disc brakes Shock absorbs: Front and rear spring shock absorbers Restricted speed:25km/h Light:front/rear light and side light Handlebar: dovetail folding handlebar Charging time: 5-10 hours or support dual charging <b>Charger One 2A charger</b>		<a href="https://liidewayscooter.com/product/e-scooter-for-adult-off-road-folding-liideway-t2/">https://liidewayscooter.com/product/e-scooter-for-adult-off-road-folding-liideway-t2/</a>		<b>48V</b> <b>sample:458\$</b> <b>50pcs:438\$</b> <b>20ft:428\$</b> <b>40HQ:418\$</b>

<p><b>T1Pro (Double motor)</b></p>		<p><b>Tire:10inch vacuum off road tires</b>  Frame: Aluminum+Steel  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  <b>Battery: 48V23AH (Double motor)</b>  <b>Motor:10inch 48v 1650W*2(Double motor)</b>  <b>Max speed:70km/h(Double motor)</b></p>	<p><b>1.10inch wide off-road tires</b>  <b>2.Extra 2A charger:12\$(UL)</b>  <b>3.Seat+13\$ (free)</b>  <b>4.USB mobile phone charging:5\$(free)</b>  <b>5.Install 6inch LCD screen+13\$(free)</b>  <b>6.with removable battery:28us\$</b>  <b>7.with logo(pole and footboard) and carton logo(free)</b>  <b>8. with waterproof strip(free)</b>  <b>9.upgrade shock absorbers (free)</b>  <b>10.alarm system:8us\$</b>  <b>11.Hydraulic brake: 30us\$</b>  <b>12.Damper:30\$</b>  <b>13.Bluetooth:10\$</b></p>	<p><a href="https://liidewayscooter.com/product/scooter-electric-liideway-t1pro/">https://liidewayscooter.com/product/scooter-electric-liideway-t1pro/</a></p>	<p>Unfolded size  115*21*129CM  Folded size 115*21*45CM  Pedal width: 21CM  Packing size:  124*26*48.5cm  Carton weight:5KG  NW/GW:30.75KG/37.15KG  20FT:224pcs,  40HQ:464pcs,  45HQ:544pcs</p>	<p><b>538US\$</b></p>
<p><b>T1 (Single Motor)</b></p>		<p><b>Battery: 48V13AH (single motor)</b>  <b>Motor:10inch 48v 2000W(single motor)</b>  <b>Max speed:45km/h(single motor)</b>  Controller: 30A controller  Brakes: Front and rear Disc brakes  Shock absorbs: Front and rear spring shock absorbers  Resricted speed:25km/h Light:front/rear light and side light  Handlebar: dovetail folding handlebar  Charging time: 5-10 hours or support dual charging Charger One 2A charger</p>	<p><b>1.10inch wide off-road tires</b>  <b>2.Extra 2A charger:12\$(UL)</b>  <b>3.Seat+13\$ (free)</b>  <b>4.USB mobile phone charging:5\$(free)</b>  <b>5.Install 6inch LCD screen+13\$(free)</b>  <b>6.with removable battery:28us\$</b>  <b>7.with logo(pole and footboard) and carton logo(free)</b>  <b>8. with waterproof strip(free)</b>  <b>9.upgrade shock absorbers (free)</b>  <b>10.alarm system:8us\$</b>  <b>11.Hydraulic brake: 30us\$</b>  <b>12.Damper:30\$</b>  <b>13.Bluetooth:10\$</b></p>	<p><a href="https://liidewayscooter.com/product/electric-scooter-liideway-t1/">https://liidewayscooter.com/product/electric-scooter-liideway-t1/</a></p>	<p>Unfolded size  115*21*129CM  Folded size 115*21*45CM  Pedal width: 21CM  Packing size: 125*26*50CM  Carton weight:5KG  NW/GW :25KG/30KG  20FT:224pcs,  40HQ:464pcs,  45HQ:544pcs</p>	<p><b>388us\$</b></p>
<p><b>T12 (Single Motor)</b></p>		<p>Tire:10inch vacuum off road tires  Frame: Aluminum+Steel  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  With acrylic panel, built-in LED lights, customized LOGO,  Battery: 48V13AH (single motor)  Motor:10inch 48v 2000W(single motor)  Max speed:45km/h(single motor)  Controller: 30A controller  Brakes: Front and rear Disc brakes  Shock absorbs: Front and rear spring shock absorbers  Charging time: 5-10 hours or support dual charging Charger One 2A charger</p>	<p>1.Extra 2A charger:12\$(UL)  2.Seat+13\$ (free)  3.USB mobile phone charging:5\$(free)  4.Install 6inch LCD screen+13\$(free)  5.with removable battery:28us\$  6.with logo(pole and footboard) and carton logo(free)  7.upgrade shock absorbers (free)  8.alarm system:8us\$  9.Hydraulic brake: 30us\$  10.Damper:30\$  11.Bluetooth:10\$</p>	<p><a href="https://liidewayscooter.com/product/off-road-electric-scooter-factory-liideway-t12/">https://liidewayscooter.com/product/off-road-electric-scooter-factory-liideway-t12/</a></p>	<p>Unfolded size  115*21*129CM  Folded size 115*21*45CM  Pedal width: 21CM  Packing size: 125*26*50CM  Carton weight:5KG  NW/GW :25KG/30KG  20FT:224pcs,  40HQ:464pcs,  45HQ:544pcs</p>	<p><b>358US\$</b></p>

T9		<p><b>Tire:11inch off road tires with 6inch screen</b>  Frame: carbon steel  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  <b>Battery: 60V20AH</b>  <b>Motor: Double motor 4000W*2</b>  <b>Max speed:80-100km/h</b>  Controller: 25A controller  Brakes: Front and rear Hydraulic brakes  Shock absorbs: Front and rear spring shock absorbers  Resricted speed:25km/h (EU standard)  Light:front/rear light and side light  Handlebar: dovetail folding handlebar  Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> <li>1.Default off-road tires, road tires can be changed</li> <li>2.2A charger:12\$</li> <li>3.Small Seat:15\$/Big seat:38\$</li> <li>4.USB mobile phone charging:5\$</li> <li>5.with removable battery:38us\$</li> <li>6.Install pole cover LED light+35\$</li> <li>7.Install LED cover light+25\$</li> <li>8.alarm system:8us\$</li> <li>9.Damper:30\$</li> <li>10.Bluetooth:10\$</li> </ol>	<a href="https://liidewayscooter.com/product/best-electric-scooter-2024-two-wheels-off-road-folding-liideway-t9/">https://liidewayscooter.com/product/best-electric-scooter-2024-two-wheels-off-road-folding-liideway-t9/</a>	Unfolded size 132*300*131CM Pedal width: 21CM Packing size: 142*34*54CM Carton weight:5KG NW/GW:56KG/66KG 20FT:108pcs, 40HQ:260pcs, 45HQ:300pcs	<b>US\$850</b>
T6		<p>Tire:14 inch off road tires  Maximum load :400KG  Start method Integrated voltage lock switch (key switch)  Choose one of two anti-theft switch  <b>Motor:60V/72V(optional) 4000W*2 (Double motor) Max speed:80-100km/h</b>  <b>Controller: dual 45A controller</b>  <b>Battery:60v40ah and 72v50ah(optional)</b>  Brakes: Front and rear hydraulic oil brakes  Shock absorbs: Front and rear spring shock absorbers  Lights: 3 U7 lights + motorcycle horns  Instrumentation Leading 100 color LCD instrument (with USB charging port)  Handlebar: dovetail folding handlebar seat can be retrofitted  Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> <li>1.Default off-road tires, road tires can be changed</li> <li>2.Two 2A charger:12\$</li> <li>3.Small Seat:15\$/Big seat:38\$</li> <li>4.USB mobile phone charging:5\$</li> <li>5.with removable battery:38us\$</li> <li>6.Install pole cover LED light+35\$</li> <li>7.Install LED cover light+25\$</li> <li>8.alarm system:8us\$</li> <li>9.Damper:30\$</li> <li>10.Bluetooth:10\$</li> </ol>	<a href="https://liidewayscooter.com/product/off-road-electric-scooter-4000w2-double-motor-14inch-liidewayt6/">https://liidewayscooter.com/product/off-road-electric-scooter-4000w2-double-motor-14inch-liidewayt6/</a>	Expanded size: 148*66*125CM Folded size: 150*55*66CM Flat width: 31CM Packing size: 158*37*64CM, GW:71kg, NW:62KG Seat: 3KG " 20ft:90pcs,40ft:181pcs,40H Q:206pcs	<b>US\$1200 (60V40AH)</b> <b>US\$1380 (72V50AH)</b>
T7		<p><b>Tire:11 inch off road tires</b>  Maximum load :400KG  Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch  <b>Motor: 60V3000W*2(Double motor)</b>  <b>Battery:20AH</b>  <b>Max speed:80-100km/h</b>  Controller: dual 45A controller  Brakes: Front and rear hydraulic oil brakes  Shock absorbs: Front and rear spring shock absorbers  Lights: 3 U7 lights + motorcycle horns  Instrumentation Leading 100 color LCD instrument (with USB charging port)  Handlebar: dovetail folding handlebar seat can be retrofitted  Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> <li>1.Default off-road tires, road tires can be changed</li> <li>2.Two 2A charger:12\$</li> <li>3.Small Seat:15\$/Big seat:38\$</li> <li>4.USB mobile phone charging:5\$</li> <li>5.with removable battery:38us\$</li> <li>6.Install pole cover LED light+35\$</li> <li>7.Install LED cover light+25\$</li> <li>8.alarm system:8us\$</li> <li>9.Damper:30\$</li> <li>10.Bluetooth:10\$</li> </ol>	<a href="https://liidewayscooter.com/product/electric-scooter-3000w-liideway-t7/">https://liidewayscooter.com/product/electric-scooter-3000w-liideway-t7/</a>	Expanded size: 135*29*132CM Folded size: 135*31*60M Flat width: 31CM Packing size: 142*34*54CM NW/GW:55kg/65kg Seat: 3KG " 20ft:107pcs, 40ft:223pcs, 40HQ:260pcs	<b>US\$760</b>

<p><b>T10</b></p>		<p><b>Tire:11inch off road tires with 6inch screen</b>  Frame: carbon steel  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  <b>Battery: 60V20AH</b>  <b>Motor: Double motor 3000W*2</b>  <b>Max speed:80km/h</b>  Controller: 45A controller  Brakes: Front and rear Oil brakes  <b>Shock absorbs: Front/ rear hydraulic shock</b>  Restricted speed:25km/h Light:front/rear light and side light  Handlebar: dovetail folding handlebar  Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> <li>1.Default off-road tires, road tires can be changed</li> <li>2.Two 2A charger:12\$</li> <li>3.Small Seat:15\$/Big seat:38\$</li> <li>4.USB mobile phone charging:5\$</li> <li>5.with removable battery:38us\$</li> <li>6.Install pole cover LED light+35\$</li> <li>7.Install LED cover light+25\$</li> <li>8.alarm system:8us\$</li> <li>9.Damper:30\$</li> <li>10.Bluetooth:10\$</li> </ol>	<p><a href="https://liidewayscooter.com/product/electric-scooter-fast-liideway-t10/">https://liidewayscooter.com/product/electric-scooter-fast-liideway-t10/</a></p>	<p>Unfolded size  132*300*131CM  Pedal width: 21CM  Packing size: 142*34*54CM  Carton weight:5KG  NW/GW:56KG/66KG  20FT:108pcs,  40HQ:260pcs,  45HQ:300pcs</p>	<p><b>US\$750</b></p>
<p><b>T8</b></p>		<p><b>Tire:11inch Vacuum off road tire</b>  Maximum load :200KG  Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch  <b>Max speed:100-120km/h</b>  <b>Battery: 72V40AH</b>  <b>Motor:Double motor 72v 3600W*2</b>  <b>Range:100-120km</b>  Controller: dual 50A controller  Brakes: <b>Front and rear hydraulic oil brakes</b>  Shock : <b>Front/rear Hydraulic shock absorbers</b>  Lights: 3 U7 lights + motorcycle horns  Light:front/rear/turn/brake light  Handlebar: T- handlebar  Charging time: 3-7 hours or so/support dual charging Charger <b>One 5A UL charger</b></p>	<ol style="list-style-type: none"> <li>1.Default off-road tires, road tires can be changed</li> <li>2.2A charger:12\$</li> <li>3.Small Seat:15\$/Big seat:38\$</li> <li>4.USB mobile phone charging:5\$</li> <li>5.with removable battery:38us\$</li> <li>6.Install pole cover LED light+35\$</li> <li>7.Install LED cover light+25\$</li> <li>8.alarm system:8us\$</li> <li>9.Damper:30\$</li> <li>10.Bluetooth:10\$</li> </ol>	<p><a href="https://liidewayscooter.com/product/11inch-off-road-electric-scooter-liideway-t8/">https://liidewayscooter.com/product/11inch-off-road-electric-scooter-liideway-t8/</a></p>	<p>product size:140*135*68cm  Folding size:141*28*48cm  Packing size:145*31*53cm,  NW/GW:55kg/65kg  20ft:118pcs, 40HQ:286pcs</p>	<p><b>sample:us\$1280</b>  <b>50pcs:1200\$</b>  <b>20ft:1150\$</b>  <b>40HQ:1100\$</b></p>
<p><b>T13</b></p>		<p><b>Model : Electric Snow Scooter</b>  <b>Motor : 48V 1500W*1 Split motor</b>  <b>Battery: 20.8Ah (18650) / 30Ah (21700)</b>  <b>Battery Weight : About 8.3kg / About 9.3kg</b>  <b>Intelligent System: Tuya APP None-key start+Motor Anti-theft Locking+man-machine Interaction</b>  <b>Special Function:Removable battery set and seat</b>  <b>Brake System :Front &amp; Rear Oil brake + Electronic brake</b>  <b>Tire :PA66 injection molded snowboard + nylon mesh rubber track</b>  <b>Parts Weight Snowboard: 2.6kg</b>  <b>Suspension :Front &amp; Rear Shock Absorber</b>  <b>Display Digital display</b>  <b>Max Speed: 23km/h</b>  <b>Max Range: 20.8Ah: 27km (30Ah: 40km)</b></p>	<p>Test Environment 70kg, outdoor -5°, speed 15km/h, snow road riding test (below -5°, range will be reduced by the decrease of temperature) Max Load 130KG  Climbing Angle 15&lt;  Charging Time "20.8Ah: Charger x1,,11-11.5h / Charger x 2, 5.5-6hrs  30AH: Charger x1, 15-15.5h/ Charger x 2, 7.5-8hrs"  Material A3 carbon steel + 6061 aluminum alloy + plastic PA66</p>	<p><a href="https://liidewayscooter.com/product/electric-snow-scooter-liideway-t13/">https://liidewayscooter.com/product/electric-snow-scooter-liideway-t13/</a></p>	<p>Net Weight 20.8Ah: About 42.3kg (30Ah: About 43.3kg)  Gross Weight 20.8Ah: About 50.3kg (30Ah: About 51.3kg)  Product Size  1778.3*1317.8*600MM  Folded Size  Carton Size  1755*650*260MM</p>	<p><b>battery 20.8ah : 948us\$</b>  <b>battery 30ah: 1080us\$</b></p>

<p><b>T11</b></p>		<p><b>Tire:11inch off road tires</b>  Frame: Full Aluminum alloy  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  <b>Battery: 48V28AH/52V25AH</b>  <b>Motor: Double motor 48v 2000W*2</b>  <b>Max speed:70km/h</b>  Controller: 25A controller  Brakes: Front and rear Disc brakes  Shock absorbs: Front and rear spring shock absorbers  Resricted speed:25km/h Light:front/rear light and side light  Handlebar: dovetail folding handlebar  Charging time: 5-10 hours or so/support dual charging Charger One 2A charger</p>	<ol style="list-style-type: none"> <li>1.10inch wide off-road tires</li> <li>2.Extra 2A charger:12\$(UL)</li> <li>3.Seat+13\$ (free)</li> <li>4.USB mobile phone charging:5\$(free)</li> <li>5.Install 6inch LCD screen+13\$(free)</li> <li>6.with removably battery:28us\$</li> <li>7.with logo(pole and footboard) and carton logo(free)</li> <li>8. with waterproof strip(free)</li> <li>9.upgrade shock absorbers (free)</li> <li>10.alarm system:8us\$</li> <li>11.Hydraulic brake: 30us\$</li> <li>12.Damper:30\$</li> <li>13.Bluetooth:10\$</li> </ol>	<p><a href="https://liidewayscooter.com/product/electric-scooters-powerful-adult-dis-liideway-t11/">https://liidewayscooter.com/product/electric-scooters-powerful-adult-dis-liideway-t11/</a></p>	<p>Unfolded size  115*21*129CM  Folded size 115*21*45CM  Pedal width: 21CM  Packing size: 128*28*52CM  Carton weight:5KG  NW/GW:30KG/35KG  20FT:150pcs,  40HQ:312pcs,  45HQ:366pcs</p>	<p><b>US\$690</b></p>
<p><b>T3</b></p>		<p><b>Tire:11inch Vacuum off road tires</b>  Frame: Aluminum+Steel  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  <b>Battery: 48V28AH</b>  <b>Motor: Double motor 48v 2000W*2</b>  <b>Max speed:70km/h</b>  <b>Range:70-80km</b>  Controller: 30A controller  Brakes: Front and rear Disc brakes  Shock : Front and rear spring shock absorbers  Resricted speed:25km/h  Light:front/rear/turn/brake/side light  Handlebar:T-handlebar  Charging time: 3-5 hours or so/support dual charging <b>Charger One 3.4A UL charger</b></p>	<ol style="list-style-type: none"> <li>1.10inch wide off-road tires</li> <li>2.Extra 2A charger:12\$(UL)</li> <li>3.Seat+13\$ (free)</li> <li>4.USB mobile phone charging:5\$(free)</li> <li>5.Install 6inch LCD screen+13\$(free)</li> <li>6.with removably battery:28us\$</li> <li>7.with logo(pole and footboard) and carton logo(free)</li> <li>8. with waterproof strip(free)</li> <li>9.upgrade shock absorbers (free)</li> <li>10.alarm system:8us\$</li> <li>11.Hydraulic brake: 30us\$</li> <li>12.Damper:30\$</li> <li>13.Bluetooth:10\$</li> </ol>	<p><a href="https://liidewayscooter.com/product/scooter-electric-dual-motor-liideway-t3/">https://liidewayscooter.com/product/scooter-electric-dual-motor-liideway-t3/</a></p>	<p>Unfolded size :127*  29*130cm  Folded size :127* 29* 51cm  Pedal width: 21CM  Carton weight:5KG  NW/GW:30KG/35KG  Packing size:135x29.5x56.5cm,  20FT:125pcs,  40HQ:302pcs,  45HQ:346pcs</p>	<p><b>sample:us\$700</b>  <b>50pcs:680\$</b>  <b>20ft:658\$</b>  <b>40HQ:648\$</b></p>
<p><b>T4</b></p>		<p><b>Tire:10inch Vacuum off road tires</b>  Frame: Full Aluminum alloy  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  <b>Battery: 48V27AH</b>  <b>Motor:Double motor 48v 1600W*2</b>  <b>Max speed:70km/h</b>  <b>Range:70-80km</b>  Controller: 30A controller  Brakes: Front and rear Disc brakes  Shock : Front and rear spring shock absorbers  Resricted speed:25km/h  Light:front/rear/turn/brake/side light  Handlebar: T-Handlebar  Charging time: 3-5 hours or so/support dual charging Charger <b>One 3.4A UL charger</b></p>	<ol style="list-style-type: none"> <li>1.10inch wide off-road tires</li> <li>2.Extra 2A charger:12\$(UL)</li> <li>3.Seat+13\$ (free)</li> <li>4.USB mobile phone charging:5\$(free)</li> <li>5.Install 6inch LCD screen+13\$(free)</li> <li>6.with removably battery:28us\$</li> <li>7.with logo(pole and footboard) and carton logo(free)</li> <li>8. with waterproof strip(free)</li> <li>9.upgrade shock absorbers (free)</li> <li>10.alarm system:8us\$</li> <li>11.Hydraulic brake: 30us\$</li> <li>12.Damper:30\$</li> <li>13.Bluetooth:10\$</li> </ol>	<p><a href="https://liidewayscooter.com/product/bike-electric-scooter-liideway-t4/">https://liidewayscooter.com/product/bike-electric-scooter-liideway-t4/</a></p>	<p>Unfolded size  115*21*129CM  Folded size 115*21*45CM  Pedal width: 21CM  Packing size: 128*28*52CM  Carton weight:5KG  NW/GW:30KG/35KG  20FT:150pcs,  40HQ:312pcs,  45HQ:366pcs</p>	<p><b>sample:us\$720</b>  <b>50pcs:690\$</b>  <b>20ft:678\$</b>  <b>40HQ:658\$</b></p>

<p>LW-3wheel</p>		<p><b>11inch off road 3wheel Escooter</b>  Body Frame: Ultra strong aluminum+Iron alloy  Motor: 52V 6000w double motor  Battery 52V 20AH lithium battery (21700)  Battery:52V 40AH lithium battery(MAX Mileage 52V 20AH:60~70KM)  Battery:52V 40AH:120~140KM(Max Speed: 60~65KM/H)  Gradeability:40°  Lights: Front two 30W lights with horn+brake light+indicator+rear light  Braking Front+Rear Disc brake  Tires:11inch off road tires  Suspension: Front motorcycle suspension+rear dual spring suspension  Dashboard:Twist-grip throttle  Folding: yes  Charger: 52V 2A</p>	<ol style="list-style-type: none"> <li>Two 2A charger:12\$</li> <li>Seat+15\$</li> <li>Add USB mobile phone charging:5\$</li> <li>Install pole cover LED light+55\$</li> <li>Install LED cover light+35\$</li> <li>13-inch road tires : 52us\$</li> <li>14inch off road tire:75us\$</li> <li>Install 6inch LCD screen+13\$</li> <li>removatable battery: 50\$</li> </ol>	<p><a href="https://liidewayscooter.com/product/electric-scooters-china-liideway-lw3wheel/">https://liidewayscooter.com/product/electric-scooters-china-liideway-lw3wheel/</a></p>	<p>N.W./G.W. 60KG/66KG  66KG/72KG  Package Size 156*50*58CM</p>	<p><b>52V 20AH: 850\$</b>  <b>52V 40AH ;960\$</b></p>
<p>T5</p>		<p><b>11inch road vocuum semi-hot melt tire</b>  Material:Aviation aluminum alloy  Craftmanship: CNC  Loading:150kg,  <b>Max speed:100-120KM/H</b> ,  <b>Recharge mileage:80km</b>,  Climbing angle:25 degree  <b>Battery capacity:72v40AH(LG battery)</b>  Digital display:TFT,  Shock Absorber: front and rear Hydraulic spring suspension,  <b>Max motor power: 12000W(rexternal rotation motor with belt connected transmission mode)</b>  Charging:84v 5AH  Braking method: Hydraulic brake,  Color: German Grey  Light:front/rear light and side light/turn/brake light/siren/signal light</p>	<ol style="list-style-type: none"> <li>with seat :50us\$</li> <li>5A charger:50\$</li> <li>Add USB mobile phone bracket:35\$</li> <li>with logo(pole and footboard) and carton logo(free)</li> <li>with waterproof strip(free)</li> <li>upgrade shock absorbers (free)</li> <li>alarm system:8us\$</li> <li>Hydraulic brake: 30us\$(free)</li> <li>Damper:30\$(free)</li> <li>Bluetooth:10\$</li> </ol>	<p><a href="https://liidewayscooter.com/product/electric-scooter-innovations-adults-new-fashion-newest-reviews-t5/">https://liidewayscooter.com/product/electric-scooter-innovations-adults-new-fashion-newest-reviews-t5/</a></p>	<ol style="list-style-type: none"> <li>Body size:142*30.7*126cm</li> <li>Ground clearance:12cm</li> <li>NW:58kg</li> </ol>	<p><b>US\$3,000</b></p>